





Metcraft[®]
Industries, Inc.



**Replacement
Valves**

Vitreous China Replacement Valves



Product Description

The Metcraft retrofit pneumatic valve assemblies are designed to replace existing valves on vitreous china and aluminum prison fixtures or to compliment the installation of new vitreous china prison fixtures. These valves are furnished with push button assemblies, actuators and steel anchoring nipples.

*Replacement Valve does not include lavatory fixture.

Available Valves

39849

- *A341 Single Temperature Valve*

38382



- *A342 Dual Temperature Valve*

Key Features

- *Steel Anchors:* The steel anchors are designed to provide support for securing the fixture to the wall. 2-3/8" (60mm) OD push button escutcheon plates are furnished to adequately cover the larger push button holes found in these fixtures.
- *Bubbler Spud:* A bubbler spud with an expanding rubber seal is provided to make the connection between the bubbler supply tubing and the integral bubbler
- *Dual Operating Modes:* Valves can be operated either as quick closing, metering or a combination of both operating modes.
- *Single Temperature Option:* When a single temperature valve is required, a stainless steel cover plate with an anchor is provided to secure the side of fixture opposite the single push button.



Tempus II Replacement Valves



Product Description

The Metcraft TEMPUS II valve was discontinued in 1993 and replacement parts are no longer available. Metcraft offers a retrofit pneumatic lead-free valve that includes all the components to replace your existing valve with the modern equivalent.

*Replacement Valve does not include stainless steel fixture.

Available Valves

54027


- *Dual Temperature Valve*

Key Features

- *Steel Anchors:* The steel anchors are designed to provide support for securing the fixture to the wall. 2-3/8" (60mm) OD push button escutcheon plates are furnished to adequately cover the larger push button holes found in these fixtures.
- *Bubbler:* A bubbler is included so that you can completely remove all existing Tempus II valve parts.
- *Dual Operating Modes:* Valves can be operated either as quick closing, metering or a combination of both operating modes.



Bradley Replacement Valves



Product Description

Metcraft offers a retrofit pneumatic lead-free valve that includes all the components to replace your existing Bradley valve with the modern equivalent.

Available Valves

49450

- *Dual Temperature Valve*

Key Features

- *Steel Anchors:* The steel anchors are designed to provide support for securing the fixture to the wall. 2-3/8" (60mm) OD push button escutcheon plates are furnished to adequately cover the larger push button holes found in these fixtures.
- *Adapter:* An adapter is included so that you can connect the existing bubbler or spout to the Metcraft pneumatic valve.
- *Dual Operating Modes:* Valves can be operated either as quick closing, metering or a combination of both operating modes.

