



**WALL THICKNESS AND TYPE (Must Specify)**

 Thickness: \_\_\_\_\_ Type:  Concrete  Block  Steel

**OUTLET/MOUNTING**

- FW** On the floor, wall outlet (Standard).
- OW** Off the floor, wall outlet.
- FF** On the floor, floor outlet.

**SPOUT**

- B1H** Suicide Resistant Filler/Bubbler Spout.
- B3H** Suicide Resistant Filler Spout.

**HAND BASINS**

- RB** Rectangular Basin.(Standard)

**LAVATORY WASTE**

- EPE** Elbow Waste Plain End. (Standard)
- EPL** Elbow Waste Plain End through the wall.
- ET2** Elbow Waste.
- PPE** P-Trap Plain End.
- PPL** P-Trap Plain End through the wall.
- PT2** P-Trap.
- CWO** Combined Waste.

**TOILET WASTE**

- PE** Plain End Waste - 4" off fixture. (Standard)
- PL** Plain End Waste - 3" into Chase.
- GW** Gasket Waste Outlet.

**PRODUCT OPTIONS**

- AFH** Hydraulic Anti-Flood Valve.
- MS** Mirror Finish Toilet Seat. (Standard)
- MA** Ligature Resistant Skirt.
- HT** Towel Hook.
- OF** Overflow Vent.

**NO-HUB CONNECTORS**

- A210-3** 3" s/s to 3" CI 1.6gpf No-hub Connector.
- A210-1** 3" s/s to 4" CI 1.6gpf No-hub Connector.
- A210-9** 2-3/8" s/s to 3" CI 1.28gpf No-hub Connector.
- A210-8** 2-3/8" s/s to 4" CI 1.28gpf No-hub Connector.
- A215-3** 3" No-hub Test Tee.
- A215-4** 4" No-hub Test Tee.
- A216-3** Pinned Cleanout Plug 3"
- A216-4** Pinned Cleanout Plug 4"
- A205-1** 1-1/4" (32mm) s/s to 1-1/2" (38mm) Copper.
- A205-2** 1-1/4" (32mm) s/s to 1-1/2" (38mm) PL/ STL.
- A205-3** 1-1/4" (32mm) s/s to 2" (38mm) CI.

**OPTIONS/ACCESSORIES**

- A120** Security Frame. (Wall Sleeve/Can)
- A168** Metal Template for Wall Openings.
- TSC** Toilet Seat Cover
- A247** Flush Valve thru wall connector.
- A552LR** Wall Grab Bar w/ Closure Plate.
- A557LR** Fixture Grab Bar w/ Closure Plate.

**LAVATORY WASTE EXTENSIONS**

- A235** Trap Assembly. (For 1.5" female connection)
- A240** Waste Extension for 1-1/2" female connection.

**PNEUMATIC VALVE ASSEMBLIES (0.5 GPM Flow Valves)**




- A311** Single Temperature, Single Fixture Valve.
- A312** Dual Temperature, Single Fixture Valve.

**WALL MOUNTED TOILET PAPER HOLDERS (ADA Compliant)**

- A720** Chase Mounted Recessed Toilet Paper Holder.
- A721** Front Mounted Recessed Toilet Paper Holder.
- A722** Ligature Resistant Front Mounted Recessed Toilet Paper Holder.

## COMBINATION FIXTURE - 3155 R&L

Item: \_\_\_\_\_

3155L-LR Configuration

3155R-LR Shown Below


Due to continuous product improvement Metcraft reserves the right to make changes in design and specifications without prior notice. All dimensions should be verified with the factory for current information.

<b>APPROVED FOR MANUFACTURING</b>	Company: _____ Name: _____
	Signature: _____ Date: _____



ITEM:  
FIXTURE NAME: 3155L  
V-CHASE DETAIL

## A.D.A. CHASE STYLE REFERENCE

\* INDICATES RELATIONAL DIMENSIONS.

Shown with optional grab bars

- A557 (Rear)
- A552 (Sidewall)

GRAB BARS AT 33" [838]  
CENTER OF BAR TO FINISHED FLOOR

SINK BASIN TOP AT 34" [864]  
(MAX ADA) OFF FINISHED FLOOR

